# **Material Safety Data Sheet**

URITAN A Cleaning Heritage

**QUINTET P** 

### Section 1. Chemical product and company identification

Trade name : QUINTET P

Product use : Machine Warewashing Detergent

Supplier : Puritan Services Inc.

655 Lone Oak Drive Eagan MN 55121 1-800-275-8914

Code : 908434-03

Date of issue : 15-June-2006

EMERGENCY HEALTH INFORMATION: 1-800-328-0026
Outside United States and Canada CALL 1-651-222-5352 (in USA)

# Section 2. Composition, information on ingredients

<u>Name</u>	CAS number	% by weight
triphosphoric acid, pentasodium salt	7758-29-4	28
sodium carbonate	497-19-8	20 - 50
silicic acid, sodium salt	1344-09-8	5 - 20
troclosene sodium, dihydrate	51580-86-0	1 - 5

#### Section 3. Hazards identification

Physical state : Solid. (Powder.)
Emergency : WARNING!
overview

CAUSES SEVERE RESPIRATORY TRACT, EYE AND SKIN IRRITATION.

HARMFUL IF SWALLOWED.

Avoid contact with eyes, skin and clothing. Avoid breathing dust. Keep container closed.

Use only with adequate ventilation. Wash thoroughly after handling.

Potential acute health effects

Eyes : Severely irritating to eyes.Skin : Severely irritating to the skin.

**Inhalation** : Severely irritating to the respiratory system.

Ingestion : Harmful if swallowed.
See toxicological information (section 11)

### Section 4. First aid measures

Eye contact: In case of contact, immediately flush eyes with cool running water. Remove contact lenses and

continue flushing with plenty of water for at least 15 minutes. Get medical attention

immediately.

**Skin contact**: Flush contaminated skin with plenty of water. Continue to rinse for at least 10 minutes. Get

medical attention. Remove contaminated clothing and shoes. Wash clothing before reuse.

Clean shoes thoroughly before reuse.

**Inhalation**: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

give oxygen. Get medical attention immediately.

**Ingestion**: Rinse mouth; then drink one or two large glasses of water. Do not induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention immediately.

QUINTET P Page: 2/4

#### **Section 5. Fire fighting measures**

Flash point

: > 100°C

**Products of combustion** 

: These products are halogenated compounds, hydrogen chloride.

of various substances

Fire hazards in the presence : Non-flammable.

Fire-fighting media and

instructions

: Use an extinguishing agent suitable for the surrounding fire.

Dike liquid for later disposal.

No specific hazard.

for fire-fighters

Special protective equipment: Fire-fighters should wear appropriate protective equipment and self-contained

breathing apparatus (SCBA) with a full face-piece operated in positive pressure

#### Section 6. Accidental release measures

Personal precautions : Ventilate area of leak or spill. Do not touch damaged containers or spilled material unless wearing appropriate protective equipment (Section 8). Stop leak if without risk. Do not allow to enter drains or watercourses.

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and

sewers.

**Methods for** cleaning up

: If emergency personnel are unavailable, vacuum or carefully scoop up spilled material and place in an appropriate container for disposal by incineration. Avoid creating dusty conditions

and prevent wind dispersal.

# Section 7. Handling and storage

Handling

: Avoid contact with eyes, skin and clothing. Keep container closed. Use only with adequate ventilation. Avoid breathing dust. Wash thoroughly after handling.

Storage

Keep out of the reach of children. Keep container tightly closed. Keep container in a cool, wellventilated area.

Do not store above 50°C

# Section 8. Exposure controls, personal protection

Engineering controls

: Use process enclosures, local exhaust ventilation or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit. Ensure that eyewash stations and safety showers are close to the workstation location.

#### Personal protection

**Eves** 

: Use safety eyewear designed to protect against splash of liquids.

Hands

: Use chemical-resistant, impervious gloves.

Skin

: No protective equipment is needed under normal use conditions.

Respiratory

: Wear appropriate respirator when ventilation is inadequate and occupational exposure limits

are exceeded.

Name chlorine **Exposure limits** 

ACGIH TLV (United States, 1/2005).

STEL: 2.9 mg/m<sup>3</sup> 15 minute/minutes. Form: All forms STEL: 1 ppm 15 minute/minutes. Form: All forms TWA: 1.5 mg/m<sup>3</sup> 8 hour(s). Form: All forms TWA: 0.5 ppm 8 hour(s). Form: All forms OSHA PEL (United States, 8/1997).

CEIL: 3 mg/m3 Form: All forms CEIL: 1 ppm Form: All forms

**QUINTET P** Page: 3/4

### Section 9. Physical and chemical properties

: Solid. (Powder.) **Physical state** White. (Light.) Color Odor Odorless. На : 10.7 (1%)

: Partially soluble in cold water, hot water. Solubility

# Section 10. Stability and reactivity

**Stability** : The product is stable. Reactivity : Reactive with metals, alkalis.

Mixing this product with acid or ammonia releases chlorine gas.

products

**Hazardous decomposition**: These products are halogenated compounds, hydrogen chloride, chlorine.

Hazardous polymerization: Will not occur.

# Section 11. Toxicological information

#### Potential acute health effects

**Eyes** : Severely irritating to eyes. Skin : Severely irritating to the skin.

: Severely irritating to the respiratory system. Inhalation

: Harmful if swallowed. Ingestion

Potential chronic health effects

### Section 12. Ecological information

**Products of degradation** 

: These products are carbon oxides (CO, CO<sub>2</sub>) and water, nitrogen oxides (NO, NO<sub>2</sub> etc.), sulfur oxides (SO<sub>2</sub>, SO<sub>3</sub> etc.), halogenated compounds, phosphates. Some metallic oxides.

### Section 13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Consult your local or regional authorities.

# Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Class	Packing group	Additional information
<b>DOT</b> Classification	Not regulated.	-	-	-	-

#### APPLIES ONLY DURING ROAD TRANSPORT

Any variation of the shipping description based on the packaging is not addressed.

### Section 15. Regulatory information

**HCS Classification** : Irritating material

U.S. Federal regulations : SARA 302/304/311/312 extremely hazardous substances: No products were

SARA 302/304 emergency planning and notification: No products were found.


TSCA 8(b) inventory : All materials are listed or exempt.

: No products were found. California Prop. 65

QUINTET P Page: 4/4

#### **Section 16. Other information**

Hazardous Material Information System (U.S.A.)



Date of issue : 15-June-2006.

Responsible name : Regulatory Affairs

Date of previous issue : 14-February-2006.

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.