# **Material Safety Data Sheet**



KEYSTONE SOLID POWER XL DISHMACHINE DETERGENT

# Section 1. Chemical product and company identification

Trade name

: KEYSTONE SOLID POWER XL DISHMACHINE DETERGENT

**Product use** 

: Machine Warewashing Detergent

Supplier

: Ecolab Inc. Institutional Division 370 N. Wabasha Street

St. Paul, MN 55102 1-800-352-5326

Code

: 913472-01

Date of issue

22-December-2009

EMERGENCY HEALTH INFORMATION: 1-800-328-0026
Outside United States and Canada CALL 1-651-222-5352 (in USA)

### Section 2. Hazards identification

Physical state

: Solid. [Cast Solid]

Emergency overview

: WARNING!

CAUSES DIGESTIVE TRACT BURNS.

CAUSES SEVERE EYE AND SKIN IRRITATION.

Untreated contact may cause severe irritation or chemical burns.

MAY BE HARMFUL IF SWALLOWED.

Do not ingest. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling.

#### Potential acute health effects

Eyes

: Severely irritating to eyes. Untreated contact may cause chemical burns.

Skin

: Severely irritating to the skin. Untreated contact may cause severe irritation or chemical

burns.

Inhalation

: No known significant effects or critical hazards.

Ingestion

: Causes burns to mouth, throat and stomach. May be harmful if swallowed.

See toxicological information (section 11)

# Section 3. Composition/information on ingredients

Name CAS number % by weight

SODIUM HYDROXIDE

1310-73-2

62

#### Section 4. First aid measures

Eye contact

: In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention

immediately

Skin contact

: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately. Wash clothing

before reuse. Clean shoes thoroughly before reuse.

Inhalation

: If inhaled, remove to fresh air.

Ingestion

: If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious

person. Get medical attention immediately.

# Section 5. Fire-fighting measures

Flash point

: > 100°C

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide phosphorus oxides metal oxide/oxides

Fire-fighting media and

instructions

: Use an extinguishing agent suitable for the surrounding fire.

Dike area of fire to prevent runoff. No specific fire or explosion hazard.

Special protective equipment:

for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure

mode.

#### Section 6. Accidental release measures

Personal precautions

: Immediately contact emergency personnel. Stop leak if without risk. Use suitable protective equipment. Keep unnecessary personnel away. Do not touch or walk through spilled material.

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up : If emergency personnel are unavailable, vacuum or carefully scoop up spilled material and place in an appropriate container for disposal.

# Section 7. Handling and storage

Handling

: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling.

Storage

Keep out of reach of children. Keep container in a cool, well-ventilated area. Keep container tightly closed.

Store between the following temperatures: -10 and 50°C

## Section 8. Exposure controls/personal protection

Engineering measures

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protection:

Eyes

: Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.

Hands

: Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.

Skin

**Name** 

: Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.

Respiratory

 Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.

....,

Exposure limits

SODIUM HYDROXIDE

ACGIH TLV (United States, 1/2009).

C: 2 mg/m<sup>3</sup>

OSHA PEL (United States, 11/2006).

TWA: 2 mg/m<sup>3</sup> 8 hour(s).

### Section 9. Physical and chemical properties

Physical state

Solid. [Cast Solid]

Color Odor

White. : Odorless.

рН

: 12.5 [Conc. (% w/w): 1%]

### Section 10. Stability and reactivity

Stability

: The product is stable. Under normal conditions of storage and use, hazardous

polymerization will not occur.

Reactivity

: Extremely reactive or incompatible with the following materials: acids. Highly reactive or incompatible with the following materials: metals. Reactive or incompatible with the following materials: organic materials.

products

Hazardous decomposition : Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

Hazardous polymerization : Under normal conditions of storage and use, hazardous polymerization will not occur.

## Section 11. Toxicological information

#### Potential acute health effects

Eyes

: Severely irritating to eyes. Untreated contact may cause chemical burns.

Skin

: Severely irritating to the skin. Untreated contact may cause severe irritation or chemical

Inhalation

: No known significant effects or critical hazards.

Ingestion

: Causes burns to mouth, throat and stomach. May be harmful if swallowed.

#### Potential chronic health effects

#### Other adverse effects

Target organs

: Contains material which may cause damage to the following organs: lungs, upper respiratory tract.

### Section 12. Ecological information

**Ecotoxicity data** 

: Not reported

## Section 13. Disposal considerations

Waste disposal

The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Consult your local or regional authorities.

### Section 14. Transport information

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

#### **UN Classification**

**UN number** 

UN1823

Proper shipping name

SODIUM HYDROXIDE, SOLID mixture

Class

Packing group

II

See shipping documents for specific transportation information.

#### KEYSTONE SOLID POWER XL DISHMACHINE DETERGENT

Page: 4/4

# Section 15. Regulatory information

HCS Classification

Corrosive material

Target organ effects

**U.S. Federal regulations** 

TSCA 8(b) inventory : All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No products were found.

SARA 302/304 emergency planning and notification: No products were found.


California Prop. 65

: No products were found.

#### Section 16. Other information

**Hazardous Material** 

Information System (U.S.A.)



Date of issue

: 22-December-2009.

Responsible name

: Regulatory Affairs

Date of previous issue

: No previous validation.

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.